

1 included in the reply message and the original sender address is included in a "TO" field.
2 However, conventionally, the user may still change the original sender address in the "TO"
3 field and/or add recipients by specifying the address in the "CC" (Carbon Copy) field or
4 "BCC" (Blind Carbon Copy) field. To prevent a user from disseminating the e-mail, the
5 ability to edit the TO, CC, and BCC fields may be disabled thus preventing the user from
6 using the reply button to reply to anyone but the original sender.

7 In addition, conventional e-mail programs typically have a "reply all" button which
8 is similar to the "reply" button except that selecting the reply all button also automatically
9 fills the CC field of the reply message with the addresses that were original listed in the CC
10 field of the original message. To prevent dissemination using the reply all button, editing
11 of the TO, CC, and BCC fields in the new reply message may be disabled as well.

12 In order to further secure the reply message, the client reader 203 may set the same
13 "eyes-only" attributes in the reply message that were set in the original message. The eyes-
14 only indicator thus significantly limits the tool that may be used by an intended reader to
15 disseminate an e-mail message when such dissemination is undesired by the sender of the
16 e-mail message. Thus, the principles of the invention reduce the likelihood that a sensitive
17 e-mail message may be leaked to unintended parties.

18 The present invention may be embodied in other specific forms without departing
19 from its spirit or essential characteristics. The described embodiments are to be considered
20 in all respects only as illustrative and not restrictive. The scope of the invention is,
21 therefore, indicated by the appended claims rather than by the foregoing description. All
22 changes which come within the meaning and range of equivalency of the claims are to be
23 embraced within their scope.

24 What is claimed and desired to be secured by United States Letters Patent is:

1 1. In an e-mail sender client that is network connectable to an e-mail reader
2 client so as to be capable of sending an e-mail message to the e-mail reader client, a
3 method of transmitting the e-mail message in a way that discourages dissemination of
4 information contained within the e-mail message, the method comprising the following:

5 an act of accessing an e-mail message;

6 an act of setting an indicator indicating that one or more functions that limit
7 the opportunity to disseminate e-mail messages are to be applied to the e-mail
8 message;

9 an act of associating the indicator with the accessed e-mail message;

10 an act of encrypting the e-mail message; and

11 an act of dispatching the e-mail message to the e-mail reader client in
12 encrypted form.

13
14 2. A method in accordance with Claim 1, wherein the indicator further
15 identifies the one or more functions that limit the opportunity to disseminate e-mail
16 messages.

17
18 3. A method in accordance with Claim 1, wherein the act of setting an
19 indicator indicating that one or more functions that limit the opportunity to disseminate e-
20 mail messages are to be applied to the e-mail message comprises the following:

21 an act of setting an indicator indicating a disablement of printing the e-mail
22 message.

1 4. A method in accordance with Claim 1, wherein the act of setting an
2 indicator indicating that one or more functions that limit the opportunity to disseminate e-
3 mail messages are to be applied to the e-mail message comprises the following:

4 an act of setting an indicator indicating a disablement of copying the e-mail
5 message.

6
7 5. A method in accordance with Claim 1, wherein the act of setting an
8 indicator indicating that one or more functions that limit the opportunity to disseminate e-
9 mail messages are to be applied to the e-mail message comprises the following:

10 an act of setting an indicator indicating a disablement of saving the e-mail
11 message.

12
13 6. A method in accordance with Claim 1, wherein the act of setting an
14 indicator indicating that one or more functions that limit the opportunity to disseminate e-
15 mail messages are to be applied to the e-mail message comprises the following:

16 an act of setting an indicator indicating a disablement of forwarding the e-
17 mail message.

18
19 7. A method in accordance with Claim 1, wherein the act of setting an
20 indicator indicating that one or more functions that limit the opportunity to disseminate e-
21 mail messages are to be applied to the e-mail message comprises the following:

22 an act of setting an indicator indicating a disablement of print screening the
23 e-mail message.

24

1 8. A method in accordance with Claim 1, wherein the act of setting an
2 indicator indicating that one or more functions that limit the opportunity to disseminate e-
3 mail messages are to be applied to the e-mail message comprises the following:

4 an act of setting an indicator indicating that reply functions are to be
5 limited.

6
7 9. A method in accordance with Claim 1, wherein the act of setting an
8 indicator indicating that one or more functions that limit the opportunity to disseminate e-
9 mail messages are to be applied to the e-mail message comprises the following:

10 an act of setting an indicator indicating that reply all functions are to be
11 limited.

12
13 10. A method in accordance with Claim 1, wherein the act of setting an
14 indicator indicating that one or more functions that limit the opportunity to disseminate e-
15 mail messages are to be applied to the e-mail message comprises the following:

16 an act of setting an indicator indicating that the e-mail message should only
17 be temporarily displayed on a monitor.

1 11. In an e-mail sender client that is network connectable to a e-mail reader
2 client so as to be capable of sending an e-mail message to the e-mail reader client, a
3 method of transmitting the e-mail message in a way that discourages dissemination of
4 information contained within the e-mail message, the method comprising the following:

5 an act of accessing an e-mail message;

6 a step for indicating that dissemination of the e-mail message is
7 discouraged;

8 an act of encrypting the e-mail message; and

9 an act of dispatching the e-mail message to the e-mail reader client in
10 encrypted form.

1 12. A computer program product for use in an e-mail sender client that is
2 network connectable to a e-mail reader client so as to be capable of sending an e-mail
3 message to the e-mail reader client, the computer program product for implementing a
4 method of transmitting the e-mail message in a way that discourages dissemination of
5 information contained within the e-mail message, the computer program product
6 comprising a computer-readable medium having stored thereon computer-executable
7 instructions for performing the following:

8 an act of causing an e-mail message to be accessed;

9 an act of causing an indicator to be set, the indicator indicating that one or
10 more functions that limit the opportunity to disseminate e-mail messages are to be
11 applied to the e-mail message;

12 an act of causing the indicator to be associated with the accessed e-mail
13 message;

14 an act of encrypting the e-mail message; and

15 an act of causing the e-mail message to be dispatched the e-mail reader
16 client in encrypted form.

17
18 13. A computer program product in accordance with Claim 12, wherein the
19 computer-readable medium is one or more physical storage media.
20
21
22
23
24

1 14. In an e-mail server that is network connectable to an e-mail sender client
2 and to an e-mail reader client so as to be capable of receiving e-mail messages from the e-
3 mail sender client and communicate e-mail message to the e-mail reader client, a method
4 of discouraging dissemination of information contained within an e-mail message received
5 from the e-mail sender client, the method comprising the following:

6 an act of receiving an e-mail message in encrypted form;

7 an act of storing the e-mail message in encrypted form;

8 an act of determining that the e-mail message has an associated indicator
9 indicating that one or more functions that limit the opportunity to disseminate e-
10 mail messages are to be applied to the e-mail message;

11 an act of verifying that the e-mail reader client is capable of implementing
12 the one or more functions; and

13 after the act verifying, an act of transmitting the e-mail message to the e-
14 mail reader client in encrypted form.

15
16 15. A method in accordance with Claim 14, further comprising:

17 an act of authenticating a user of the e-mail reader client as being an
18 intended recipient of the e-mail message, wherein the act of transmitting occurs
19 after the act of authenticating.

20
21 16. A method in accordance with Claim 14, wherein the indicator further
22 identifies the one or more functions that limit the opportunity to disseminate e-mail
23 messages.
24

1 17. A method in accordance with Claim 14, wherein the act of determining that
2 the e-mail message has an associated indicator indicating that one or more functions that
3 limit the opportunity to disseminate e-mail messages are to be applied to the e-mail
4 message comprises the following:

5 an act of determining that the e-mail message has an associated indicator
6 indicating the disablement of printing the e-mail message.

7
8 18. A method in accordance with Claim 14, wherein the act of determining that
9 the e-mail message has an associated indicator indicating that one or more functions that
10 limit the opportunity to disseminate e-mail messages are to be applied to the e-mail
11 message comprises the following:

12 an act of determining that the e-mail message has an associated indicator
13 indicating the disablement of copying the e-mail message.

14
15 19. A method in accordance with Claim 18, wherein the act of determining that
16 the e-mail message has an associated indicator indicating the disablement of copying the e-
17 mail message comprises the following:

18 an act of determining that the e-mail message has an associated indicator
19 indicating the disablement of the cut editing function.

20
21 20. A method in accordance with Claim 18, wherein the act of determining that
22 the e-mail message has an associated indicator indicating the disablement of copying the e-
23 mail message comprises the following:

1 an act of determining that the e-mail message has an associated indicator
2 indicating the disablement of the copy editing function.
3

4 21. A method in accordance with Claim 14, wherein the act of determining that
5 the e-mail message has an associated indicator indicating that one or more functions that
6 limit the opportunity to disseminate e-mail messages are to be applied to the e-mail
7 message comprises the following:

8 an act of determining that the e-mail message has an associated indicator
9 indicating the disablement of saving the e-mail message.
10

11 22. A method in accordance with Claim 14, wherein the act of determining that
12 the e-mail message has an associated indicator indicating that one or more functions that
13 limit the opportunity to disseminate e-mail messages are to be applied to the e-mail
14 message comprises the following:

15 an act of determining that the e-mail message has an associated indicator
16 indicating the disablement of forwarding the e-mail message.
17

18 23. A method in accordance with Claim 14, wherein the act of determining that
19 the e-mail message has an associated indicator indicating that one or more functions that
20 limit the opportunity to disseminate e-mail messages are to be applied to the e-mail
21 message comprises the following:

22 an act of determining that the e-mail message has an associated indicator
23 indicating that reply functions are to be limited.
24

1 24. A method in accordance with Claim 14, wherein the act of determining that
2 the e-mail message has an associated indicator indicating that one or more functions that
3 limit the opportunity to disseminate e-mail messages are to be applied to the e-mail
4 message comprises the following:

5 an act of determining that the e-mail message has an associated indicator
6 indicating that reply all functions are to be limited.

7
8 25. A method in accordance with Claim 14, wherein the act of determining that
9 the e-mail message has an associated indicator indicating that one or more functions that
10 limit the opportunity to disseminate e-mail messages are to be applied to the e-mail
11 message comprises the following:

12 an act of determining that the e-mail message has an associated indicator
13 indicating the disablement of print screening the e-mail message.

14
15 26. A method in accordance with Claim 14, wherein the act of determining that
16 the e-mail message has an associated indicator indicating that one or more functions that
17 limit the opportunity to disseminate e-mail messages are to be applied to the e-mail
18 message comprises the following:

19 an act of determining that the e-mail message should only be temporarily
20 displayed on a monitor.

1 27. A computer program product for use in an e-mail server that is network
2 connectable to an e-mail sender client and to an e-mail reader client so as to be capable of
3 receiving e-mail messages from the e-mail sender client and communicate e-mail message
4 to the e-mail reader client, the computer program product for implementing a method of
5 discouraging dissemination of information contained within an e-mail message received
6 from the e-mail sender client, the computer program product comprising a computer-
7 readable medium having stored thereon computer-executable instructions for performing
8 the following:

9 an act of detecting the receipt of an e-mail message in encrypted form;

10 an act of causing the e-mail message to be stored in encrypted form;

11 an act of determining that the e-mail message has an associated indicator
12 indicating that one or more functions that limit the opportunity to disseminate e-
13 mail messages are to be applied to the e-mail message;

14 an act of verifying that the e-mail reader client is capable of implementing
15 the one or more functions; and

16 after verifying, causing the e-mail message to be transmitted to the e-mail
17 reader client in encrypted form.

18
19 28. A computer program product in accordance with Claim 27, wherein the
20 computer-readable medium is one or more physical storage media.
21
22
23
24

1 29. In an e-mail reader client that is network connectable to an e-mail sender
2 client so as to be capable of receiving an e-mail message from e-mail sender client, a
3 method of discouraging dissemination of information contained within the e-mail message,
4 the method comprising the following:

5 an act of receiving an e-mail message in encrypted form;

6 an act of storing the e-mail message in encrypted form;

7 an act of determining that the e-mail message has an associated indicator
8 indicating that one or more functions that limit the opportunity to disseminate e-
9 mail messages are to be applied to the e-mail message; and

10 an act of implementing the one or more functions on the e-mail message.

11
12 30. The method in accordance with Claim 29, further comprising the following:
13 an act of identifying the one or more functions from the indicator.

14
15 31. The method in accordance with Claim 29, wherein the one or more
16 functions are default functions to be performed upon completion of the act of determining.

17
18 32. The method in accordance with Claim 29, wherein the act of implementing
19 the one or more functions on the e-mail message comprises the following:

20 an act of disabling printing of the e-mail message.

21
22 33. The method in accordance with Claim 29, wherein the act of implementing
23 the one or more functions on the e-mail message comprises the following:

24 an act of disabling copying of the e-mail message.

1
2 34. The method in accordance with Claim 29, wherein the act of implementing
3 the one or more functions on the e-mail message comprises the following:

4 an act of disabling saving of the e-mail message.
5

6 35. The method in accordance with Claim 29, wherein the act of implementing
7 the one or more functions on the e-mail message comprises the following:

8 an act of disabling forwarding of the e-mail message.
9

10 36. The method in accordance with Claim 29, wherein the act of determining
11 comprises an act of determining that reply functions are to be limited, wherein the act of
12 implementing the one or more functions on the e-mail message comprises the following:

13 an act of receiving a user input selection of a reply button;

14 generating a reply message template in response to the user input selection;

15 an act of disabling the editing of the addressing fields corresponding to the
16 reply message template.
17

18 37. The method in accordance with Claim 36, wherein the act of disabling the
19 editing of the reply message template comprises the following:

20 an act of disabling the editing of the "TO" address field;

21 an act of disabling the editing of the "CC" address field; and

22 an act of disabling the editing of the "BCC" address field.
23
24

1 38. The method in accordance with Claim 29, wherein the act of determining
2 comprises an act of determining that reply all functions are to be limited, wherein the act of
3 implementing the one or more functions on the e-mail message comprises the following:

- 4 an act of receiving a user input selection of a reply all button;
- 5 an act of generating a reply message template in response to the user input
6 selection;
- 7 an act of disabling the editing of the addressing fields corresponding to the
8 reply message template.

9

10 39. The method in accordance with Claim 38, wherein the act of disabling the
11 editing of the reply message template comprises the following:

- 12 an act of disabling the editing of the "TO" address field;
- 13 an act of disabling the editing of the "CC" address field; and
- 14 an act of disabling the editing of the "BCC" address field.

15

16 40. The method in accordance with Claim 29, wherein the act of implementing
17 the one or more functions on the e-mail message comprises the following:

- 18 an act of disabling print screening of the e-mail message.

19

20 41. The method in accordance with Claim 29, wherein the act of implementing
21 the one or more functions on the e-mail message comprises the following:

- 22 an act of displaying the e-mail message for a predetermined amount of time;
- 23 and

1 an act of disabling the display of the e-mail message after the act of
2 displaying.
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24

1 42. In an e-mail reader client that is network connectable to an e-mail sender
2 client so as to be capable of receiving an e-mail message from e-mail sender client, a
3 method of discouraging dissemination of information contained within the e-mail message,
4 the method comprising the following:

5 an act of receiving an e-mail message in encrypted form;

6 an act of storing the e-mail message in encrypted form;

7 a step for discouraging the dissemination of e-mail messages if an intent to
8 discourage is associated with the e-mail message.

1 43. A computer program product for use in an e-mail reader client that is
2 network connectable to an e-mail sender client so as to be capable of receiving an e-mail
3 message from e-mail sender client, the computer program product for implementing a
4 method of discouraging dissemination of information contained within the e-mail message,
5 the method comprising the following:

- 6 an act of detecting the receipt of an e-mail message in encrypted form;
- 7 an act of causing the e-mail message to be stored in encrypted form;
- 8 an act of determining that the e-mail message has an associated indicator
- 9 indicating that one or more functions that limit the opportunity to disseminate e-
- 10 mail messages are to be applied to the e-mail message; and
- 11 an act of causing the one or more functions to be applied to the e-mail
- 12 message.

13
14 44. A computer program product in accordance with Claim 43, wherein the
15 computer-readable medium is one or more physical storage media.

1 45. A computer network for use e-mail communications, the computer network
2 comprising the following:

3 an e-mail sender client;

4 an e-mail server network connectable to the e-mail sender client so as to be
5 able to receive e-mail messages from the e-mail sender client; and

6 an e-mail reader client network connectable to the e-mail server so as to be
7 able to receive e-mail messages from the e-mail server;

8 wherein the e-mail sender client is configured to:

9 access an e-mail message,

10 set an indicator indicating that one or more functions that limit the
11 opportunity to disseminate e-mail messages are to be applied to the e-mail
12 message,

13 associate the indicator with the accessed e-mail message;

14 encrypt the e-mail message; and

15 dispatch the e-mail message to the e-mail reader client in encrypted
16 form;

17 wherein the e-mail server is configured to:

18 receive the e-mail message in encrypted form;

19 store the e-mail message in encrypted form;

20 determine that the e-mail message has the indicator;

21 verify that the e-mail reader client is capable of implementing the
22 one or more functions;

23 authenticate a user of the e-mail reader client as being an intended
24 recipient of the e-mail message; and

1 transmit the e-mail message to the e-mail reader client in encrypted
2 form; and
3 wherein the e-mail reader client is configure to:
4 receive the e-mail message in encrypted form;
5 store the e-mail message in encrypted form;
6 determine that the e-mail message has an associated indicator
7 indicating that one or more functions that limit the opportunity to
8 disseminate e-mail messages are to be applied to the e-mail message; and
9 implement the one or more functions on the e-mail message.

1 46. A computer-readable medium having stored thereon a data structure, the
2 data structure comprising:

3 a first data field that represents an e-mail message; and
4 a second data field associated with the first data field, the second data field
5 representing whether eyes-only functions are to be performed on the e-mail
6 message represented in the first data field.

7
8 47. A computer-readable medium in accordance with Claim 46, wherein the
9 computer-readable medium is one or more physical storage media.

10
11 48. A data structure in accordance with Claim 46, further comprising:
12 a third data field identifying the eyes-only functions.